#### **Terminal LX310 DATASHEET**



# **Terminal LX310**

# **Ruggedized Smartphone**

Android 9.0

3.1-inch touch

4-Core 1.5GHz CPU

Support A-GPS/GLONASS

**IP67** 

The LX310 from SUNWAVE is smaller and lighter, features an ergonomic and aesthetic design with more comfortable buttons. The device has a large 2W speaker for clearer sound. The low temperature storage can reach -30 °C. The LX310 is IP67 rated waterproof and dustproof, equipped with Android 9.0 operating system and 4-core CPU processor.

Copyright © 2021 SUNWAVE All rights reserved.

### Terminal LX310 DATASHEET

HARDWARE SPECIFICATIONS			
Terminal Size	118.5 x 58.5 x	118.5 x 58.5 x 23.8 mm   4.67 x 2.30 x 0.94 in	
Main Screen Size	3.1 inch	3.1 inch	
Main Screen Resolution	480*800	480*800	
Touch Screen	Supported	Supported	
Exterior Design	Hard glue	Hard glue	
Body Color	Black/ Optiona	Black/ Optional	
Band	GSM	850(B5)/900(B8)/1800(B3)/1900(B2)	
	WCDMA	B1(2100)/B2(1900)/B5(850)/B8(900)	
	LTE-FDD	B1/B3/B5/B7/B8/B17/B28A	
	LTE-TDD	B34/B38/B39/B40/B41M	
	CDMA	BCO	
OS	Android 9.0	Android 9.0	
CPU	MT6739	MT6739	
CPU Frequency	1.5G, 4 Core	1.5G, 4 Core	
Memory	2+16	2+16	
Micro SD Card	Supports up to	Supports up to 128GB	
Battery	3500mAh@3.8	3500mAh@3.8V	
Motor	Supported	Supported	
Earpiece	Supported		
Speaker	2 Watts		
Battery Assembly Method	Removable		

COMPONENT SPECIFICATIONS	S	
Navigation	Built-in GPS, supports A-GPS and GLONASS	
Prevention Function	Supports IP67 waterproof, IP67 dustproof, IP67 shockproof	
Sensor	Gravity sensor, geomagnetic sensor	
Volume Up and Down Keys	Up and down volume keys	
POC Button	Supported	
Power Button	Supported	
Indicator Light	Red light	Charging/ intercom launch
	Green light	
	Blue light	Missed call
NFC	Supported	
Mic	Silicon	

ENVIRONMENTAL SPECIFICATIONS		
Operating Temperature	-20 °C ~ +55 °C   -4 °F ~ +131 °F	
Storage Temperature	-30 °C ~ +70 °C   -22 °F ~ +158 °F	
IP Protection Rating	IP67	

CAMERA FUNCTION		
Front Camera	3M	
Rear Camera	13M	
Flash	1 piece, 250LM or more	

Copyright © 2021 SUNWAVE All rights reserved.

#### SUNWAVE

## Terminal LX310 DATASHEET

DATA FUNCTION		
WLAN Function	2.4G, 5.8G	
Data Interface	TYPE-C interface, supports OTG	
Headphone Jack	3.5mm, same as Apple definition, Key supports PTT, POC software switching	
<b>Bluetooth Transmission</b>	Bluetooth 4.1	

PRODUCT CERTIFICATIONS	
RoHS Certification	
CCC Certification	
CTA Certification	
CE Certification	

Contact Us www.sunwave.com

en.sunwave.com

Copyright © 2021 SUNWAVE All rights reserved.